

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	719	(455/3.03,3.06).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/14 09:48
L2	0	L1 and control\$3 near10 (forc\$3 near10 input near10 devices near10 register\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/14 09:53
L3	1	L1 and control\$3 near10 input near10 devices near10 (stor\$3 register\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/14 09:54
S1	528	(381/2).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:53
S2	765	(381/77).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:55
S3	324	suzuki.in. and broadcast\$3 and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:25
S4	62	suzuki.in. and broadcast\$3 and pattern and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 11:35
S5	0	toa.AS. and broadcast\$3 and pattern and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:36
S6	952	(370/462).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:53

## EAST Search History

S7	2	S1 and (broadcast\$3 near3 (pattern patterns))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:54
S8	1	S2 and (broadcast\$3 near3 (pattern patterns))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:05
S9	4	S6 and (broadcast\$3 near3 (signature pattern patterns))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/11/13 11:55
S10	63	suzuki.in. and broadcast\$3 and pattern and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 19:47
S11	0	S10 and patterns same control\$3 same intial\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 19:47
S12	10	S10 and (patterns same control\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:06
S13	1	(broadcast\$3 near3 system) same (control\$3 with forces with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:07
S14	1	(broadcast\$3 near3 system) and (control\$3 with forces with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:07
S15	1	(broadcast\$3) and (control\$3 with forces with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:08
S16	84	(broadcast\$3) and (control\$3 with input with devices with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:09

## EAST Search History

S17	1	(broadcast\$3) and (forc\$3 near4 input near3 devices near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:10
S18	35	(broadcast\$3) and (input near3 devices near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:11
S19	1	(broadcast\$3 with patterns) and (input near3 devices near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:12
S20	1	(broadcast\$3 with patterns) and ((input near3 devices) with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/20 20:12
S21	1	(broadcast\$3 with patterns) and ((input near3 devices) same register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:25
S22	4582	digital near2 broadcast\$3 near2 (apparatus system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:05
S23	18	(digital near2 broadcast\$3 near2 (apparatus system)) same patterns	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:14
S24	8	(digital near2 broadcast\$3 near2 (apparatus system)) and (register\$3 with patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:15
S25	680	(broadcasting) and (input near3 devices) and (output near2 devices) and patterns	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:26
S26	3	(broadcasting) same (input near3 devices) same (output near2 devices) and patterns	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:26

## EAST Search History

S27	10	(broadcasting) and ((input near3 devices) same (output near2 devices) same patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:26
S28	531	(381/2).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:41
S29	768	(381/77).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:55
S30	223	S29 and broadcast\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 09:56
S31	957	(370/462).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:18
S32	1	("5885129").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:38
S33	1444	(370/351,351).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:39
S34	3899	(370/351,360).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 12:45
S35	1446	(370/390,432).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:39
S36	29	"714"/\$.ccls. and (broadcast\$3) and (pattern with matching)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2006/12/21 11:40

## EAST Search History

S37	2174	(370/432,485,486,487,492).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:23
S38	9303	(709/217,218,219).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 13:30
S39	0	S37 and (input with devices with register\$3 with broadcast\$3 with (blueprint design model convention pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:02
S40	0	S37 and (input with devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/02 19:17
S41	0	S37 and (devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 11:38
S42	110	(devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:07
S43	1	(input near2 devices) same register\$3 same broadcast\$3 same (blueprint design model convention pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:07
S44	4593	(370/432,485,486,487,492,462,351).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:23
S45	0	S44 and (controller) with devices with register\$3 with (blueprint design model convention pattern patterns)	USPAT	OR	OFF	2007/02/02 14:25
S46	1	S44 and (controller) with devices with register\$3 with (blueprint design model convention pattern patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:25

## EAST Search History

S47	1	S44 and (controller) with devices with (store register\$3 receive) with (blueprint design model convention pattern patterns)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:31
S48	1	S44 and (controller) with devices with (store register\$3 receive) with input with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:31
S49	0	S38 and (controller) with devices with (store register\$3 receive) with input with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:32
S50	12	(controller) with devices with (store register\$3 receive) with input with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:38
S51	3	(controller) with devices with (store register\$3 receive) with source with output with destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/02 14:38
S52	777	(381/77).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/02/04 18:56
S53	0	suzuki.in. and broadcast\$3 and pattern and (rout\$3 with all)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/02 19:03
S54	5	suzuki.in. and broadcast\$3 and pattern and (rout\$3 with devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/02 19:03
S55	2290	(370/432,485,486,487,492).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/02 19:19
S56	39	S55 and (send\$3 deliver\$3) with rout\$3 with devices	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/02 19:20

## EAST Search History

S57	0	S55 and (send\$3 deliver\$3) with rout\$3 with (input near2 devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/02 19:20
S58	4	"370"/\$.ccls. and (send\$3 deliver\$3) with routing with (input near2 devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/02 19:22
S59	26	(send\$3 deliver\$3) with routing with (input near2 devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/02 19:23
S60	1	(send\$3 deliver\$3) adj4 routing adj4 (input adj devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/09/02 19:23
S61	822	(381/77).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 11:33
S62	2	suzuki.in. and broadcast\$3 same pattern same rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 11:36
S63	1038	(370/462).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 11:37
S64	2387	(370/432,485,486,487,492).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 11:38
S65	2	S64 and register\$3 same broadcast\$3 same (blueprint\$1 design\$1 model\$1 convention\$1 pattern\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 11:38
S66	1	("5394397").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/13 14:11

## EAST Search History

S67	181	(record\$3 or stor\$3 or register\$3) near20 (communicat\$3 or send\$3 or broadcast\$3) near20 pattern near20 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/13 14:45
S68	15	S67 same input\$4 same output\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/13 14:46
S69	548	(381/2).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/13 15:49
S70	1365	(700/94).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/13 15:49
S71	0	S70 and (record\$3 or stor\$3 or register\$3) near20 (communicat\$3 or send\$3 or broadcast\$3) near20 pattern near20 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/13 15:49
S72	548	(381/2).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/13 15:52